



Huntington's Disease
Society of America

The information provided by speakers in workshops, forums, sharing/networking sessions and any other educational presentation made as part of the 2011 HD SA convention program is for informational use only.

HD SA encourages all attendees to consult with their primary care provider, neurologist or other healthcare provider about any advice, exercise, medication, treatment, nutritional supplement or regimen that may have been mentioned as part of any presentation.



Medical Management of Advanced HD

Samuel Frank, MD
HD SA National Convention
June 24, 2011



Overview

- What is advanced HD?
- Progression of disease
- Issues in management
- Ideas for management
- Dignity in advanced stages



Presenter Disclosures

Samuel Frank, MD

The following personal financial relationships with commercial interests relevant to this presentation existed during the past 12 months:

No relationships to disclose or list



Huntington's Disease
Society of America



"Technically," Advanced HD is


- Total Functional Capacity (TFC) score of 0-2
 - 13 point scale used for staging
- "Functional" definition
 - Patients who are no longer able to independently care for themselves due to physical, cognitive or behavioral reasons



Rate of Progression

- Early in disease, loss of TFC is 0.5-1 point per year until total is 5-6.
 - Average TFC of a patient admitted to an extended care facility is typically 4-6.
- Later in HD – not well studied
- Patients may spend 5-10 years or longer under near total to total care





Predictors of Extended Care Placement

- Nursing home residents had worse motor function:
 - Chorea, slow movements, walking troubles, and imbalance
- More likely to have behavioral disease:
 - Obsessions, compulsions, delusions, auditory hallucinations
 - Aggression, disruptive and irritable behaviors

Huntington's Disease Society of America
Wheelock, 2003

Predictors of Extended Care Placement

- Important conclusion: motor variables alone predicted nursing home placement

Huntington's Disease Society of America
Wheelock, 2003

Average Characteristics of Patients in Extended Care

- Nance, 1996
 - 45 years old
 - Disease duration = 10.0 years
 - 47% women
 - Previously employed
 - High school graduate
 - Unmarried (44% never, 33% divorced)
- Wheelock, 2003
 - 52 years old
 - Disease duration = 8.6 years
 - 63% women

Huntington's Disease Society of America
Nance, 1996

Medical Issues in Advanced HD

- Behavioral disturbance
- Movements
 - Including falls
- Dementia
- Delusions & other forms of psychosis
- Swallowing & Nutrition
 - Weight loss/gain
- Mood & anxiety

Huntington's Disease Society of America

Everyday Issues in Advanced HD

- Medication use (and when to stop)
- How to assess pain and anxiety in the non-verbal patient
- Preventing purposeful physical violence
- Falls, falls, falls, falls, falls, . . .
- Weight in the patients who no longer walk
- How to keep patients entertained and out of trouble

Huntington's Disease Society of America

Everyday Issues in Advanced HD

- Posture
- Communication with patients
 - Communication devices
 - Non-verbal behavior
- Screaming
- Eating/feeding with swallowing issues and time
- End of life management
 - Hyperthermia and other signs of imminent death
 - Pain
 - Brain donation



Nance & Sanders, 1996

- We believe that the most important challenges to management of HD in the long-term care facility are:
 - Management of severe behavioral disturbances in one third of patients
 - Dietary management, with the goal of increasing weight and prolonging the time that eating is pleasurable to the patient
 - Adjustment by patient, family, and staff to the patient's gradually decreasing ability to walk, talk, eat, sit, or even lie down safely



Small Interventions Can Make Large Differences

- Prepare for advancing disease
 - CPR, feeding tubes, hospitalization, etc.
- Revisit use of medications
- Positioning
- Routine/predictability
- Adjunctive therapies such as speech & language, music, recreational, and art therapies may improve quality of life



Dignity in Advanced Disease

- Permitting 'old self' to be present as much as possible
- Institutionalization vs. at home care
- Freedom vs. safety
- Eating
- Toileting
- Smoking



The 'new' Tewksbury hospital



Medications Can Be Used in Advanced HD for:

- Chorea
 - Neuroleptics, tetrabenazine, amantadine, clonazepam
- Mood
 - Anti-depressants, mood stabilizing agents
- Weight loss
 - Megace, cannabinoids, olanzapine, low dose mirtazapine
- Behavioral dyscontrol
 - Anything that can get into the patient and sedates



Small Things Can Make a Difference



Nance, 2007

An Important “Small” Thing - Advocacy

- Incentive payments for nursing homes
- Specific programming
 - Education through HDSEA as a start
 - Ongoing daily activities and therapies focused on HD
- HR 678 - HD Parity Act
- An intervention that everyone can help with

Thank you!